

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	58	703/6.ccls. and @pd>"20070701"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/10/29 15:32
L2	47	345/473.ccls. and @pd>"20070701"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/10/29 15:35
L5	9	simulation same (smoke or gas or fluid or fog) and advect\$4 and @pd>"20070701"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/10/29 15:37
L6	19	animation same (smoke or gas or fog) and @pd>"20070701"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/10/29 15:39
L7	10	animation same (fluid\$1 or cloud\$1) and advect\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/10/29 15:41
L8	108	simulation same (fluid\$1 or cloud\$1) and advect\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/10/29 15:41


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

advect 2d 3d

1950

- 2003

Search

[Ad](#)
[Sc](#)
[Sc](#)
Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 280 for **advect 2d 3d**. (0.10 seconds)
All Results[N Max](#)[V Interrante](#)[B Jobard](#)[D Weiskopf](#)[G Erlebacher](#)

[Hardware-Accelerated Visualization of Time-Varying 2D and 3D Vector Fields by Texture Advection via ... - all 8 versions »](#)

D Weiskopf, M Hopf, T Ertl - Proc. VMV, 2001 - cs.sfu.ca

Page 1. Hardware-Accelerated Visualization of Time-Varying 2D and 3D Vector Fields by Texture Advection via Programmable Per-Pixel Operations ...

[Cited by 49](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Visualizing 3D velocity fields near contour surfaces - all 11 versions »](#)

N Max, R Crawfis, C Grant - Visualization, 1994., Visualization'94, Proceedings., IEEE ..., 1994 - ieeexplore.ieee.org

... We continue to **advect** the particle until it reaches a stagnation ... Projections Four techniques were tried for projecting a 3D vector onto the 2D surface. ...

[Cited by 54](#) - [Related Articles](#) - [Web Search](#)

[3D IBFV: Hardware-Accelerated 3D Flow Visualization - all 5 versions »](#)

A Telea, JJ van Wijk - Proceedings of the 14th IEEE Visualization 2003 (VIS'03), 2003 - portal.acm.org

... 3 3D IBFV To extend 2D IBFV to 3D, three main problems are to be taken care of. First, a way must be found to perform ink advection in 3D. ...

[Cited by 33](#) - [Related Articles](#) - [Web Search](#)

[Visualizing 3D flow - all 5 versions »](#)

V Interrante, C Grosch - Computer Graphics and Applications, IEEE, 1998 - ieeexplore.ieee.org

... over an input texture consisting of a sparse set of distributed points 4 —taking care to **advect** the “empty ... 2 A 2D slice from a solid 3D texture generated ...

[Cited by 52](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Hardware-accelerated Lagrangian-Eulerian texture advection for 2D flow visualization - all 8 versions »](#)

D Weiskopf, G Erlebacher, M Hopf, T Ertl - Proceedings of the Vision Modeling and Visualization ..., 2002 - vis.uni-stuttgart.de

... All information concerning the particles is stored in 2D arrays at the corresponding ... Similarly to LIC, we choose to **advect** noise images; four noise arrays N, N ...

[Cited by 23](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Flow visualization using moving textures - all 5 versions »](#)

N Max, B Becker - Proceedings of the ICASW/LaRC Symposium on Visualizing Time- ..., 1995 - llnl.gov

... velocity itself. The basic idea is to **advect** the texture by the flow field. ... In this paper, we replace the 3D textures by 2D texture ...

[Cited by 61](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[\[book\] Visualizing vector fields using line integral convolution and dye advection - all 8 versions »](#)

HW Shen, CR Johnson, KL Ma - 1996 - IEEE Press Piscataway, NJ, USA

... allowing the user to introduce “dyes” of various colors into the 2D/3D LIC flow ...


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

advection 2d 3d

1950

- 2003

Search

[Ad](#)
[Sc](#)
[Sc](#)

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 3,290 for **advection 2d 3d**. (0.13 seconds)

All Results[B Jobard](#)[G Erlebacher](#)[N Max](#)[D Weiskopf](#)[M Hussaini](#)

... [Visualization of Time-Varying 2D and 3D Vector Fields by Texture](#)

Advection via Programmable Per- ... - [all 8 versions »](#)

D Weiskopf, M Hopf, T Ertl - Proc. VMV, 2001 - cs.sfu.ca

Page 1. Hardware-Accelerated Visualization of Time-Varying **2D** and **3D** Vector Fields by Texture **Advection** via Programmable Per-Pixel Operations ...

Cited by 49 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[BOOK] Visualizing vector fields using line integral convolution and dye

advection - [all 8 versions »](#)

HW Shen, CR Johnson, KL Ma - 1996 - IEEE Press Piscataway, NJ, USA

... the user to introduce "dyes" of various colors into the **2D/3D** LIC flow ... We then describe the convolution kernel and how to control the **advection** distance of ...

Cited by 67 - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[PS] A general code for modeling MHD flows on parallel computers: Versatile **advection** code" - [all 4 versions »](#)

G Toth - Astrophys. Lett. & Comm, 1996 - hermes.elte.hu

... The Versatile **Advection** Code is under development, but it has already reached a ... of course, such a code can never do a simulation in **3D**, or in **2D** with slab ...

Cited by 107 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[Hardware-accelerated texture **advection** for unsteady flow visualization](#) - [all 7 versions »](#)

B Jobard, G Erlebacher, MY Hussaini - Proceedings of the conference on Visualization'00, 2000 - portal.acm.org

... discuss the hardware implementation of the **advection** component of ... We store a time series of **2D** vector fields ... entire physical domain, in two **3D** velocity textures ...

Cited by 49 - [Related Articles](#) - [Web Search](#)

[Hardware-accelerated Lagrangian-Eulerian texture **advection** for 2D flow visualization](#) - [all 8 versions »](#)

D Weiskopf, G Erlebacher, M Hopf, T Ertl - Proceedings of the Vision Modeling and Visualization ..., 2002 - vis.uni-stuttgart.de

Page 1. Hardware-Accelerated Lagrangian-Eulerian Texture **Advection** for 2D Flow Visualization Daniel Weiskopf 1 Gordon Erlebacher 2 Matthias Hopf 1 Thomas Ertl ...

Cited by 23 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[A DIRECT \(PSEUDO-SPECTRAL\) SOLVER OF THE 2D/3D STOKES PROBLEM: TRANSITION TO UNSTEADINESS OF NATURAL ...](#) - [all 2 versions »](#)

G Labrosse, E Tric, H Khallouf, M Betrouni - Numerical Heat Transfer, Part B: Fundamentals, 1997 - informaworld.com

... the v field, being the solution of the (**advection**-diffusion problem ... normal derivative. The **2D** configuration corresponds to the ... y = 0 of the **3D** flows, which are ...

Cited by 14 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

THE GUIDE TO COMPUTING LITERATURE

[Feedback](#) [Report a problem](#) [Satisfaction](#)
[survey](#)

 SIGGRAPH/EUROGRAPHICS Workshop On Graphics Hardware [archive](#)

Proceedings of the ACM SIGGRAPH/EUROGRAPHICS conference on Graphics hardware

2002, Saarbrücken, Germany September 01 - 02, 2002

 Additional Information: [full citation](#), [abstract](#)

 Paper Acceptance Rate: 14.00 of 32.00 submissions, 44% [view statistics](#)

[Purchase a print copy](#)

 Conference Chairs [Anselmo Lastra](#) UNC Chapel Hill
[Bengt-Olaf Schneider](#) NVIDIA

Table of Contents
SESSION: [Texture mapping](#)
[Adaptive texture maps](#)

Martin Kraus, Thomas Ertl

Pages: 7 - 15

 Full text available: [Pdf\(2.13 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
[Resample hardware for 3D graphics](#)

Koen Meinds, Bart Barenbrug

Pages: 17 - 26

 Full text available: [Pdf\(910 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)
SESSION: [Ray tracing vs. scan conversion](#)
[SaarCOR: a hardware architecture for ray tracing](#)

Jörg Schmittler, Ingo Wald, Philipp Slusallek

Pages: 27 - 36

 Full text available: [Pdf\(5.23 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
[The ray engine](#)

Nathan A. Carr, Jesse D. Hall, John C. Hart

Pages: 37 - 46

 Full text available: [Pdf\(1.88 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
[Comparing Reyes and OpenGL on a stream architecture](#)

John D. Owens, Bruce Khailany, Brian Towles, William J. Dally

Pages: 47 - 56

 Full text available: [Pdf\(137 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
SESSION: [Shading and shaders](#)
[Shader metaprogramming](#)

Michael D. McCool, Zheng Qin, Tiberiu S. Popa

Pages: 57 - 68



Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((advection<and>2d)<and>3d) <and> (pyr >= 1913 <and> pyr <= 2003)"

Your search matched 70 of 1676180 documents.

A maximum of 500 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((advection<and>2d)<and>3d) <and> (pyr >= 1913 <and> pyr <= 2003)

[Search](#) >☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[view selected items](#) [Select All](#) [Deselect All](#)[View](#)

- ☐ 1. **3D IBFV: hardware-accelerated 3D flow visualization**
Telea, A.; van Wijk, J.J.;
[Visualization, 2003. VIS 2003. IEEE](#)
19-24 Oct. 2003 Page(s):233 - 240
[AbstractPlus](#) | Full Text: [PDF](#)(668 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Image space based visualization of unsteady flow on surfaces**
Laramée, R.S.; Jobard, B.; Hauser, H.;
[Visualization, 2003. VIS 2003. IEEE](#)
19-24 Oct. 2003 Page(s):131 - 138
[AbstractPlus](#) | Full Text: [PDF](#)(698 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Chameleon: an interactive texture-based rendering framework for visualizing three-dimensi**
Guo-Shi Li; Bordoloi, U.D.; Han-Wei Shen;
[Visualization, 2003. VIS 2003. IEEE](#)
19-24 Oct. 2003 Page(s):241 - 248
[AbstractPlus](#) | Full Text: [PDF](#)(657 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **A texture-based framework for spacetime-coherent visualization of time-dependent vector fi**
Weiskopf, D.; Erlebacher, G.; Ertl, T.;
[Visualization, 2003. VIS 2003. IEEE](#)
19-24 Oct. 2003 Page(s):107 - 114
[AbstractPlus](#) | Full Text: [PDF](#)(781 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Vector field visualization**
Crawfis, R.; Max, N.; Becker, B.;
[Computer Graphics and Applications, IEEE](#)
Volume 14, Issue 5, Sept. 1994 Page(s):50 - 56
Digital Object Identifier 10.1109/38.310726
[AbstractPlus](#) | Full Text: [PDF](#)(536 KB) IEEE JNL
[Rights and Permissions](#)
- 6. **High performance computing in coastal and hydraulic applications**



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

THE GUIDE TO COMPUTING LITERATURE

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Physically-based visual simulation on graphics hardware
Full text [Pdf \(2.65 MB\)](#)

Source [SIGGRAPH/EUROGRAPHICS Conference On Graphics Hardware](#) [archive](#)
Proceedings of the ACM SIGGRAPH/EUROGRAPHICS conference on Graphics hardware
[table of contents](#)
 Saarbrücken, Germany
SESSION: Rendering and simulation [table of contents](#)
 Pages: 109 - 118
 Year of Publication: 2002
 ISBN:1-58113-580-7

Authors [Mark J. Harris](#) University of North Carolina, Chapel Hill, North Carolina
[Greg Coombe](#) University of North Carolina, Chapel Hill, North Carolina
[Thorsten Scheuermann](#) University of North Carolina, Chapel Hill, North Carolina
[Anselmo Lastra](#) University of North Carolina, Chapel Hill, North Carolina

Sponsors EUROGRAPH : Eurographics Organization
[SIGGRAPH](#): ACM Special Interest Group on Computer Graphics and Interactive Techniques

Publisher Eurographics Association Aire-la-Ville, Switzerland, Switzerland

Additional Information: [abstract](#) [references](#) [cited by](#) [index terms](#) [collaborative colleagues](#) [peer to peer](#)

Tools and Actions: [Find similar Articles](#) [Review this Article](#)
[Save this Article to a Binder](#) Display Formats: [BibTex](#) [EndNote](#) [ACM Ref](#)

↑ ABSTRACT

In this paper, we present a method for real-time visual simulation of diverse dynamic phenomena using programmable graphics hardware. The simulations we implement use an extension of cellular automata known as the coupled map lattice (CML). CML represents the state of a dynamic system as continuous values on a discrete lattice. In our implementation we store the lattice values in a texture, and use pixel-level programming to implement simple next-state computations on lattice nodes and their neighbors. We apply these computations successively to produce interactive visual simulations of convection, reaction-diffusion, and boiling. We have built an interactive framework for building and experimenting with CML simulations running on graphics hardware, and have integrated them into interactive 3D graphics applications.

↑ REFERENCES

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

- 1 {Bohn 1998} Bohn, C.-A. Kohonen Feature Mapping Through Graphics Hardware. In Proceedings of 3rd Int. Conference on Computational Intelligence and Neurosciences